

Page 1, before the seventh full paragraph, please insert the following section heading:

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

Please insert the following paragraph at the end of page 3.

A1 The foregoing description is only exemplary of the principles of the invention. Many modifications and variations of the present invention are possible in light of the above teachings. The preferred embodiments of this invention have been disclosed, however, so that one of ordinary skill in the art would recognize that certain modifications would come within the scope of this invention. It is, therefore, to be understood that within the scope of the appended claims, the invention may be practiced otherwise than as specially described. For that reason the following claims should be studied to determine the true scope and content of this invention.

IN THE CLAIMS:

Page 4, before the first claim, please insert the section heading:

--What is claimed is:--

Please replace claims 1-17 as follows:

A2 Sub 15 1. (AMENDED) A cable for connection at a first cable end to a remote cable pull mechanism and for connection at a second cable end to a latch, movement of the first cable end causing movement of the second cable end and in which an intermediate cable pull mechanism is provided between the first and second ends, movement of which causes movement of the second cable end.

2. (AMENDED) The cable as defined in claim 1 in which the intermediate cable pull mechanism is in the form of a cable attachment fixedly attached to the cable.

3. (AMENDED) The cable as defined in claim 2 in which the cable attachment projects on at least two opposing sides of the cable.

A2
cont

4. (AMENDED) The cable as defined in claim 1 which is partially sleeved by sleeving.

5. (AMENDED) The cable as defined in claim 4 which is partially sleeved between the intermediate cable pull mechanism and the first cable end by a first portion of sleeving.

amt
B15

6. (AMENDED) The cable as defined in claim 4 which is partially sleeved between the intermediate cable pull mechanism and the second cable end by a second portion of sleeving.

7. (AMENDED) The cable as defined in claim 6 in which an end of the first portion of sleeving proximate the intermediate cable pull mechanism abuts a first abutment and an end of the second portion of sleeving proximate the intermediate cable pull mechanism abuts a second abutment in which the first and second abutments are fixed relative to each other.

8. (AMENDED) The cable as defined in claim 7 in which the first and second abutments form part of a housing open on at least one side.

20160410 54208660

A2
cont

9. (AMENDED) A latch arrangement comprising: a cable for connection at a first cable end to a remote cable pull mechanism and for connection at a second cable end to a latch, movement of the first cable end causing movement of the second cable end and in which an intermediate cable pull mechanism is provided between the first and second ends, movement of which causes movement of the second cable end, a latch and a remote cable pull mechanism.

cont.
B15

10. (AMENDED) The latch arrangement as defined in claim 9 in which the cable is partially sleeved between the intermediate cable pull mechanism and the first cable end by a first portion of sleeving and partially sleeved between the intermediate cable pull mechanism and the second cable end by a second portion of sleeving and at least one end of the first or second portion of sleeving proximate the intermediate cable pull means abuts a respective abutment fast with an adjacent structure.

11. (AMENDED) The latch arrangement as defined in claim 9 in which an end of the first portion of sleeving proximate the intermediate cable pull mechanism abuts a first abutment and an end of the second portion of sleeving proximate the intermediate cable pull mechanism abuts a second abutment in which the first and second abutments are fixed relative to each other and the first and second abutments are fixed fast with an adjacent structure.

12. (AMENDED) The latch arrangement as defined in claim 10 in which the adjacent structure is fixed relative to the latch.

13. (AMENDED) The latch arrangement as defined in claim 10 in which the adjacent structure is fixed relative to the remote cable pull mechanism.

14. (AMENDED) The latch arrangement as defined in claim 10 in which the latch can move relative to said adjacent structure.

A2
cont
B15

15. (AMENDED) A vehicle comprising: a cable for connection at a first cable end to a remote cable pull mechanism and for connection at a second cable end to a latch, movement of the first cable end causing movement of the second cable end and in which an intermediate cable pull mechanism is provided between the first and second ends, movement of which causes movement of the second cable end, a latch and a remote cable pull mechanism in which at least one of the intermediate cable pull mechanism and remote cable pull mechanism is accessible from within a boot compartment of the vehicle.

16. (AMENDED) The vehicle as defined in claim 15 in which the adjacent structure is fixed relative to a boot lid of the vehicle.

17. (AMENDED) The vehicle as defined in claim 15 in which the adjacent structure is fixed relative to the vehicle body.


Please delete claim 18.

REMARKS

Applicant respectfully requests examination of this application.

Respectfully submitted,

CARLSON, GASKEY & OLDS, P.C.



Karin H. Butchko
Registration No. 45,864
Attorneys for Applicant
400 West Maple Road, Suite 350
Birmingham, Michigan 48009
(248) 988-8360

Dated: November 15, 2001